

C2C Certified Material Health Certificate™ GOLD LEVEL



ISSUED TO BURNBLOCK®

BURNBLOCK® Fire Retardant Powder

STANDARD VERSION 4.0 EFFECTIVE DATE 10 March 2023 EXPIRATION DATE 19 August 2024


LEAD ASSESSMENT BODY Vugge til Vugge ApS MATERIAL HEALTH ASSESSMENT BODY ARCHE Consulting

PHASES AND PROCESSES CONSIDERED IN THE CHEMICAL TOXICITY ASSESSMENT
Manufacturing; Final manufacturing; Professional Use; Use; Intended end of use: recycling; Unintended end of use: landfilling, incineration, uncontrolled burning, release to the environment.

PRODUCTS COVERED
Burnblock Fire Retardant Powder JG30 (GTIN 5708290100053) and Burnblock Fire Retardant Powder MM50 (GTIN 5708290100046)

PRODUCT OPTIMIZATION SUMMARY

- Cradle to Cradle Certified Restricted Substances List compliant
- Material Health optimization strategy not required
- No exposure to EU CLP Category 1 & 2 Carcinogens, Mutagens and Reproductive toxicants or Substances of Very High Concern; Carbon-bonded halogens are <1% of each material (exemptions apply)
- VOC emissions testing not required
- VOC content requirements not applicable
- Product is optimized for material health (no grey or x-assessed chemicals)
- Process chemicals are assessed and optimized
- Actions taken to reduce and eliminate emissions of hazardous chemicals in the product's supply chain



More information at www.c2ccertified.org/

MHC #5940